DOOR AND WINDOW FLY SCREENS

"KANE" QUALITY

73427 15 -

Kane Blind & Screen Company

Kane, Penna.

Manufacturers of

"KANE" SCREEN DOORS WINDOW SCREENS *and* INSIDE BLINDS

"KANE" SCREENS ARE SUPERIOR

MADE ONLY TO ORDER

W. S. CALDERWOOD, - - *President*
D. J. GAMPP, - *Secretary and General Manager*
E. H. WATKINS, - - - *Treasurer*



A "KANE" SCREEN DOOR

TCAT
Kane
19--
ocm1140 9000
8/6/14

"KANE" SCREEN DOORS

THE "Kane" Doors are made *of* any kind of wood and of the best materials. They are made in pattern and finish to conform with their surroundings.

All "Kane" Doors are made 1⅛ inches thick, unless otherwise ordered, and have mortise and tenon joints, tightly glued and wedged.



Corner section of a "Kane" Door, showing a three-mesh guard-wire over the netting.

Note method of fastening the netting.

HARDWARE

We carry a full line of Hardware *of* different designs and finishes.

OUTSIDE OF DOOR





INSIDE OF DOOR

Some of the finishes we carry in stock:

Polished bronze, polished brass, oxidized copper, sand finish; old brass, nickel, bower barff, antique silver, verd antique.

"KANE" WINDOW SCREENS

"Kane" Window Screens are made either to protect the whole or only one-half *of* the opening. Frames may be made of any kind of wood, and finished any color desired.



SHOWING A "KANE" SLIDING SCREEN WITH GUIDE STRIPS

The weakest point in all other screens is at the corners. After exposure to the weather, the glue-joints open, leaving the screen in a collapsible condition. The "Kane" Screens not only have the corners glued, but reinforced with special metal rivets in such a manner as to prevent any weakness at these points. With ordinary care they will last a lifetime.

Office of Westinghouse Air Brake Co., Pittsburg

Residence C. B. Fraley, Philadelphia; Brockie & Hastings, Arch.



A "KANE" OUTSIDE SCREEN IN POSITION

The "Kane" Outside Sliding Screens are made to slide up and down on small moldings, which are attached to the outside of the window frame and can be used to screen either the upper or lower half of the window.

Each Screen has duplicate brass numbers, one of which is attached to the window frame, so that the Screen can be readily replaced each Spring.

Residence of J. W. Fullreader, Rochester, N. Y.

Residence of Hon. J. K. P. Hall, St. Marys, Pa.
Wm. M. Johnson, Architect, Buffalo



FRICTION SPRING IN SIDE OF SLIDING SCREEN
ALSO RIVET IN CORNER



A CORNER OF A "KANE" SCREEN
Illustrating our method of fastening the wire

Every strand of wire is held securely, so that the netting cannot break or pull away.

Residence of Harrie V. Schrieren, Brooklyn
Slee & Bryson, Architects



Residence of Charles Campbell, Kansas City
Howe & Hoit, Architects

WIRE CLOTH

Only the best grades of Wire Netting are used. Steel wire enameled black, galvanized wire, enameled black, pearl wire and genuine bronze wire. The latter is absolutely rust proof.

Our regular grades of Netting have fourteen meshes to the inch. Both heavier and finer mesh wire is furnished when desired.

Samples mailed upon application.

CELLAR SCREENS

Cellar Screens are made with or without guard wire.

PORCH SCREENS

We make a specialty of screening porches. Nothing adds more to home comforts during the season of flies and mosquitoes than a porch neatly inclosed with wire screens.

ESTIMATES

We are always pleased to furnish estimates of cost, whether the order is large or small. Should you wish to examine samples of our goods, drop us a postal. Our representative will take pleasure in calling on you, showing working model and quoting prices. This without cost to you.

"As You Like It"—Residence of Mrs. Wm. Thaw, Jr., Pittsburg G. S. Orth & Bros., Architects